



## GENERAL CATALOG

# UNI SPRAY





**LUBRICANTS  
DEGREASERS  
UNLOCKERS**



## SILICONE GREASE

**NON-TOXIC POLYMERIC GREASE.**

**DIELECTRIC, WATER-REPELLENT, AND HEAT-RESISTANT PROPERTIES.**

Easy to apply thanks to the spray formula.

For industrial and domestic use, effectively protects battery poles, wiring, caps, and motor and boat components. Creates a protective barrier against salt and condensation. Excellent lubrication for seals and hydraulic parts.

packaging	format	code
12 / 24 PZ	400 ML	1216



## COPPER GREASE

**SPRAY BASED ON MICRONIZED COPPER WITH HIGH ANTI-SEIZE, ANTI-WEAR, AND HIGH-TEMPERATURE RESISTANT PROPERTIES.**

Prevents oxidation, corrosion, and seizing even under extreme pressure and heat conditions, up to +1100°C.

Suitable for industrial and automotive use, ideal for screws, bolts, flanges, brake calipers, exhausts, and all metal connections subject to high thermal and mechanical stress.

packaging	format	code
12 / 24 PZ	400 ML	1330



## LITHIUM GREASE

**MULTIPURPOSE LUBRICATING GREASE BASED ON LITHIUM SOAP.**

Designed to provide high lubrication, adhesiveness, and protection against moisture, rust, and oxidation.

Excellent adhesion to metals even under heavy loads and continuous mechanical movements, reducing friction and wear. Ideal for hinges, gears, bearings, guides, pins, chains, pulleys, and moving mechanisms. Resistant to temperatures from -20°C to +140°C.

packaging	format	code
12 / 24 PZ	400 ML	1331



## P.T.F.E. SPRAY GREASE

**LUBRICANT BASED ON POLYTETRAFLUOROETHYLENE (P.T.F.E.) FREE FROM SILICONES AND AGGRESSIVE SOLVENTS.**

Reduces friction and ensures excellent sliding without leaving oily or sticky residues.

For gears, guides, hinges, chains, precision tools, and mechanical components.

Guarantees long-lasting treated surfaces without contamination risk.

packaging	format	code
12 / 24 PZ	400 ML	1320



## SYNTHETIC LUBRICANT HIGH-PERFORMANCE

**FULLY SYNTHETIC LUBRICANT, FORMULATED FOR MAXIMUM PENETRATION, FRICTION REDUCTION, AND ANTI-WEAR PROTECTION EVEN UNDER EXTREME CONDITIONS.**

Suitable for precision mechanical components, chains, gears, bearings, sliding mechanisms, tools, and moving parts subject to heavy loads and continuous movements.

packaging	format	code
12 / 24 PZ	400 ML	1279



## PETROLEUM JELLY OIL MULTIPURPOSE LUBRICANT

**WITH HIGH THERMAL STABILITY. PROTECTS AND PRESERVES METALS.**

Water and weather-resistant, effective against moisture and corrosion.

Keeps rubber seals elastic and intact.

Ideal for maintaining locks, hinges, chains, cables, sports equipment, and precision instruments.

packaging	format	code
12 / 24 PZ	400 ML	1237

## BIKE CHAIN LUBRICANT DRY WEATHER



**WEAR PROTECTION.**

**HIGH PERFORMANCE FOR LONG DISTANCES.**

Light, non-sticky formula.

For dry, dusty climates, improving pedaling smoothness.

Apply every 300/400 km or after dusty rides.

packaging	format	code
30 / 60 PZ	150 ML	1314

## BIKE CHAIN LUBRICANT WET WEATHER



**RUST AND CORROSION PROTECTION IN RAIN, SNOW, AND HUMIDITY.**

Reduces friction for smoother, quieter pedaling.

Deep penetration ensuring long-lasting lubrication.

Prevents dirt build-up.

Easy application: shake the can, apply to chain rollers, and let dry 10-15 minutes before use.

packaging	format	code
30 / 60 PZ	150 ML	1315

## BIKE CHAIN LUBRICANT

**FOR LONG-LASTING LUBRICATION.**

**PROTECTS AGAINST WEAR AND CORROSION.**

Reduces friction and improves pedaling efficiency.

Resistant to harsh weather conditions. Keeps the chain cleaner.

Easy application: apply to each chain link, leave for a few minutes, and remove the excess.



packaging	format	code
12 / 24 / 25	200 ML	1226



## WEAPON SPRAY OIL LUBRICANT AND PROTECTANT

### FOR ALL METAL PARTS OF WEAPONS.

Easy spray application, no tools needed: forms a thin protective layer against rust and corrosion.

For delicate mechanisms such as triggers, magazines, and hinges, improving functionality and reducing friction, especially in sports use. Protects even in extreme conditions (humidity, salty environments).

packaging	format	code
12 / 24 PZ	200 ML	1241



## WOOD SLIDING AGENT

### IMPROVES SLIDING OF HEAVY OBJECTS ON WOODEN SURFACES, REDUCING SCRATCHES AND DAMAGES.

Creates a protective layer defending against moisture and dust.

Suitable for floors, furniture, and drawers, excellent for wooden doors and guides.

Transparent finish that doesn't alter the appearance of wood and prolongs its lifespan.

packaging	format	code
12 / 24 PZ	400 ML	1264



## CUTTING OIL HIGH- PERFORMANCE

### INDUSTRIAL LUBRICANT FOR HARD METALS AND STAINLESS STEEL.

Reduces friction during operations like threading, tapping, milling, and cutting.

Extends tools life.

Non-smoking formula.

Apply directly to the working area or tool.

packaging	format	code
12 / 24 PZ	400 ML	1234



## FOOD GRADE SILICONE

**HIGH-QUALITY SILICONE FLUID BLEND, COMPLIANT WITH FDA STANDARDS AND EUROPEAN REGULATIONS.**

Used in mechanics, textiles, electronics, and plastic and rubber molding industries.

Lubricant, releasing, and protective agent.

Compliant with FDA 21 CFR, European directives No.1935/2004, No. 10/2011, and other regulations ensuring safe use, including food contact.

packaging	format	code
12 / 24 PZ	400 ML	1285



## SUPER SILICONE

**SILICONE FLUID BLEND, DESIGNED FOR A WIDE RANGE OF APPLICATIONS.**

Excellent lubricant, protectant, and releasing agent.

Used in mechanics, textiles, electronics, plastic and rubber molding, and domestic environments.

Provides protection and enhanced performance for treated equipment and surfaces.

packaging	format	code
12 / 24 PZ	400 ML	1267
12 / 24 PZ	500 ML	1266



## SUPER SILICONE TRIGGER 500 ML

**VERSATILE SILICONE FLUID BLEND FOR VARIOUS INDUSTRIAL AND DOMESTIC APPLICATIONS, POLISHING, PROTECTIVE LUBRICANT.**

Suitable for mechanics, textiles, electronics, and plastic and rubber molding industries.

Does not stain fabrics, safe for domestic use.

Ideal for maintaining the functionality of mechanical and electronic devices.

packaging	format	code
12 / 24 PZ	500 ML	1307



## GRAPHENE LUBRICANT

**GRAPHENE LUBRICANT is a high-performance lubricant.**

formulated with a proprietary graphene-enhanced synthetic base. Graphene, often referred to as the “wonder material,” is a two-dimensional nanomaterial derived from graphite, consisting of a single layer of carbon atoms. It is the thinnest material known and possesses exceptional mechanical and physical properties. The advanced synthetic formulation ensures deep penetration into micro-geometries, providing long-lasting lubrication and protection against oxidation and corrosion.

packaging	format	code
12 / 24	200/400 ML	1390



## ODORLESS FISHING SILICONE

**ODORLESS FISHING SILICONE IS A SILICONE-BASED SPRAY FORMULATED FOR THE PROFESSIONAL MAINTENANCE OF FISHING EQUIPMENT.**

Designed to be safe on advanced technical materials, including composites, polymers, and high-performance fibers. It ensures effective lubrication and long-lasting protection in both freshwater and marine environments. Odorless, tasteless, and insoluble in water, it does not interfere with baits or disturb fish activity.

packaging	format	code
12 / 24	400 ML	1381



## SCREW RELEASE AGENT

**DISSOLVES RUST AND ENCRUSTATIONS ON SCREWS AND MECHANISMS.**

Deep penetration, acting within thread gaps.

Ideal for screws exposed to moisture, salt spray, and weather.

Easy to apply with targeted straw for precise action.

Quickly acts within minutes, freeing mechanical movements of screws.

packaging	format	code
12 / 24 PZ	200 ML	1259
12 / 24 PZ	400 ML	1258



## MARINE PENETRANT

### FREES OXIDIZED OR ENCRUSTED SCREWS AND BOLTS.

Resistant to corrosion from salt.

Rapidly penetrates blocked parts facilitating disassembly.

Suitable for metallic boat components, protecting against wear and rust.

For professionals and boating enthusiasts.

Prolongs equipment life and performance.

#### packaging

#### format

#### code

12 / 24 PZ

400 ML

1261



## BIKE CHAIN DEGREASER

### QUICK REMOVAL OF GREASE, OIL, AND DIRT FROM BIKE CHAINS.

Deep cleaning without oily residues, optimizing smoothness.

Ideal for all bicycles.

Application: spray on the chain and remove residues with a cloth or a brush.

Regular maintenance helps reduce chain wear.

#### packaging

#### format

#### code

25 PZ

200 ML

1317



**ADHESIVE  
ANTI-ADHESIVE**



## PERMANENT ADHESIVE

**STRONG AND DURABLE ADHESION TO PAPER, CARDBOARD, WOOD, METAL, PLASTIC, AND FABRICS.**

Ideal for craft, decorative, DIY, and industrial applications.

Forms a bond resistant to moisture, temperature, and weather, suitable for both indoor and outdoor environments.

Allows quick and precise application without tools.

Designed to withstand loads and tension.

packaging	format	code
12 / 24 PZ	500 ML	1294
12 / 24 PZ	600 ML	1316



## TEMPORARY ADHESIVE

**FACILITATES PRECISE AND TEMPORARY POSITIONING OF FABRICS, IDEAL FOR CUTTING, SEWING, EMBROIDERY, AND SCREEN PRINTING.**

Does not stain or transfer to fabric.

Forms an instant, tacky adhesive film, keeping materials securely in place during work.

Allows reuse of the same workspace for multiple applications.

Completely non-toxic and safe.

packaging	format	code
12 / 24 PZ	400 ML	1201
12 / 24 PZ	500 ML	1200



## ANTI-ADHESIVE FOR WELDING

**PREVENTS ADHESION OF WELDING DROPLETS OUTSIDE THE WELD LINE.**

Creates a transparent, imperceptible film protecting surfaces.

Silicone-free and completely non-toxic.

Reduces cleaning time post-welding, eliminating the need for pickling or phosphor-degreasing.

Keeps welding tools clean and efficient.

packaging	format	code
12 / 24 PZ	400 ML	1204



## MULTIPURPOSE GLUE

**IDEAL FOR BONDING PAPER, CARDBOARD, FABRICS, AND PLASTIC FILMS TO VARIOUS SURFACES SUCH AS WOOD, METAL, AND PLASTIC.**

Perfect for labeling and packaging, improves label adhesion to challenging surfaces.

Instant adhesion and permanent fixation within hours.

Non-toxic and versatile, suitable for industrial, craft, and DIY applications, including drums and tanks.

packaging	format	code
12 / 24 PZ	400 ML	1207



## PAINTABLE RELEASE AGENT

**NON-TOXIC, SILICONE-FREE RELEASE AGENT IDEAL FOR APPLICATIONS REQUIRING SUBSEQUENT TREATMENTS LIKE PAINTING, GLUING, AND SCREEN PRINTING.**

Allows easy detachment of plastic and rubber products.

Usable on cold molds.

Compatible with advanced industrial processes.

Long-lasting release effect.

packaging	format	code
12 / 24 PZ	400 ML	1210



## LABEL REMOVER

**QUICKLY AND EFFECTIVELY REMOVES ADHESIVE LABELS, GLUE RESIDUES, AND STICKERS.**

Non-abrasive, penetrates and dissolves adhesives without damaging surfaces.

Suitable for glass, metal, plastic, and wood.

Simple application: spray, wait a few minutes, and remove the label.

Keeps surfaces immaculate without scratches.

packaging	format	code
12 / 24 PZ	400 ML	1293



**CLEANING  
HYGIENE**



## ISOPROPYL ALCOHOL UNISPRAY 90%

**PURE ISOPROPYL ALCOHOL IS DESIGNED FOR CLEANING AND DISINFECTING SURFACES AND ELECTRONIC COMPONENTS.**

Effectively removes grease, dust, and residues, evaporating quickly without leaving traces.

Ideal for electrical contacts, electronic boards, and precision instruments. Safe on various surfaces, does not damage plastic or metal materials.

packaging	format	code
12 / 24 PZ	200 ML	1274



## ODOR ABSORBER

**EFFECTIVELY NEUTRALIZES UNPLEASANT ODORS ON SURFACES AND ENVIRONMENTS LIKE FABRICS, CARPETS, PET LITTER, BINS, BATHROOMS, AND HUMID AREAS.**

Prevents persistent odors such as mold, urine, or garbage.

Can be applied directly to the odor source.

Safe for use on pet accessories like beds and kennels.

packaging	format	code
12 / 24	400 ML	1213



## FLOOR CLEANER LEMON SCENT

**NON-FOAMING FORMULA PROVIDES EFFECTIVE CLEANING WITHOUT LEAVING RESIDUES.**

Ideal for robot vacuums and floor scrubbers.

Suitable for domestic use and large surfaces, leaving a fresh lemon fragrance and providing deep degreasing action to remove dirt and stains.

packaging	format	code
TANICA	1000 ML	1324



## MULTIPURPOSE SANITIZER

### EFFECTIVELY REMOVES DIRT AND GERMS.

Neutralizes unpleasant odors, releasing a pleasant fragrance.

For domestic and public environments like kitchens, bathrooms, offices, and gyms.

No rinsing required.

Safe and easy to apply, anyway gloves are recommended, better avoid use on delicate surfaces to prevent damage.

packaging	format	code
12 / 24 PZ	400 ML	1302



## ONE SHOT SANITIZER

### QUICK AND EFFECTIVE SANITIZATION OF CARS, OFFICES, AND DOMESTIC SPACES, REDUCING BACTERIA, VIRUSES, AND UNPLEASANT ODORS.

Simply activate (in cars with air recirculation on), allowing spray to act for 15-30 minutes. Improves air quality in spaces up to 50 m<sup>2</sup>.

Powerful deodorant removes persistent smoke and pet odors, leaving the environment fresh and welcoming.

packaging	format	code
12 / 24 PZ	150 ML	1301



## MULTIFOAM CLEANER

### MULTIFOAM CLEANER IS A HIGH-PERFORMANCE FOAMING DETERGENT

designed for effective cleaning of a wide range of washable surfaces. The active foam clings to vertical and inclined surfaces, increasing contact time and enhancing the removal of dirt, grease, fingerprints and light residues. Its controlled, non-drip action ensures precise application and reduced product waste. The balanced formulation penetrates and dissolves contaminants without damaging treated surfaces. Suitable for glass, plastic, stainless steel, painted surfaces, ceramic, laminates and most hard materials.

packaging	format	code
12 / 24 PZ	500 ML	1299



## TYRE BLACKENER

### WET AND SHINY EFFECT FOR TIRES WITH PROFESSIONAL FINISH.

Protects against cracking, aging, and dirt.

Water-repellent: withstands rain and washing, with shine lasting weeks.

Ideal for tire aesthetics and long-term care.

packaging	format	code
12 / 24 PZ	500 ML	1230



## CAR BRAKE CLEANER

### REMOVES GREASE, OIL, AND BRAKE PAD RESIDUES.

Fast-evaporating formula with powerful detergents, ideal for deep and quick cleaning.

Precise aerosol application.

Helps prevent premature wear of discs and drums, maintaining braking system performance.

Do not use on plastics or painted surfaces.

packaging	format	code
12 / 24 PZ	500 ML	1251



## CLEANING FOAM

### FORMULA BASED ON NON-IONIC SURFACTANTS THAT REMOVE DIRT FROM HARD AND ABSORBENT SURFACES.

Consistent foam that remains active even on vertical surfaces.

Easy to use: spray onto the surface and rub with an absorbent cloth for effective cleaning.

Suitable for surfaces like glass, plastic, metal, ceramics, wood, carpets, and fabrics. Fresh citrus scent.

packaging	format	code
12 / 24	500 ML	1299



## DASHBOARD POLISH

### CLEANS AND POLISHES CAR DASHBOARDS AND INTERIOR SURFACES.

Antistatic and UV protection, prevents dust, moisture, discoloration, and aging.

Compatible with plastic, vinyl, leather, doors, seats, and interior panels.

Regular use recommended to maintain the new look of the interior.

packaging	format	code
12 / 24 PZ	500 ML	1227



## ELECTRICAL CONTACT CLEANER

### REMOVES DIRT, ENCRUSTATIONS, AND OXIDATION FROM ELECTRICAL AND ELECTRONIC CONTACTS.

Advanced formula with medium-to-high evaporation solvents, detergents, and lubricants for deep cleaning.

High-precision spray.

Prevents malfunctions.

Caution on plastics and painted surfaces: may cause damage.

packaging	format	code
12 / 24 PZ	400 ML	1249



## FAST EVAPORATING CONTACT CLEANER

### FAST EVAPORATING ELECTRICAL CONTACT CLEANER IS DESIGNED FOR THE EFFECTIVE MAINTENANCE OF ELECTRICAL AND ELECTRONIC DEVICES AND COMPONENTS.

Its specific formulation removes light oxidation, dissolves dirt and cleans critical contact points, helping to restore stable and reliable electrical connections. The aerosol packaging ensures direct and precise application.

packaging	format	code
12 / 24	400 ML	1391



## A/C CLEANER & SANITIZER SPRAY

**A/C CLEANER & SANITIZER SPRAY IS A SCENTED FOAMING CLEANER AND SANITIZER SPECIFICALLY DEVELOPED FOR THE CLEANING OF AIR CONDITIONING AND VENTILATION SYSTEMS.**

The product generates a compact, high-adhesion foam that removes dirt, dust and organic residues, helping to eliminate unpleasant odors and improve air quality. It is suitable for use on evaporator coils, indoor and outdoor units, air ducts and vehicle ventilation systems.

packaging	format	code
12 / 24 PZ	400 ML	1392



## ACTIVE FOAM CLEANER

**ACTIVE FOAM CLEANER is a professional-grade detergent formulated as an expanding active foam for the deep cleaning of textile surfaces in automotive and domestic environments.**

The foam technology ensures superior penetration into fabric fibers, encapsulating dirt, grease, and organic residues without over-wetting the substrate. This mechanism allows the effective removal of embedded stains while preserving the structural integrity and breathability of the textile.

packaging	format	code
12 / 24 PZ	200 ML	1388



## AIR & FREEZE

**AIR & FREEZE is a professional compressed gas spray designed for powerful dust removal and rapid cooling applications.**

The high-pressure liquefied GPL propellant delivers an intense blowing action that effectively removes dust, debris and loose contaminants from sensitive components, ventilation slots and hard-to-reach areas. It is also ideal for cleaning drilled holes before installing anchors and fixing systems, ensuring proper adhesion and mechanical performance.

packaging	format	code
12 / 24	400 ML	1393



## STEEL CLEANER

**OFFERS IMPECCABLE CLEANLINESS AND LASTING SHINE. DEEP CLEANING ACTION.**

Easily removes stains, fingerprints, and residues, leaving stainless steel surfaces looking new.

Perfect for appliances, countertops, and industrial surfaces.

packaging	format	code
12 / 24 PZ	400 ML	1309



## TAR & BITUMEN REMOVER

**TAR & BITUMEN REMOVER is a professional solvent-based cleaner specifically developed for the effortless removal of tar, bitumen, oil residues, underbody protection overspraying and cavity wax from painted and chromed surfaces.**

Its optimized solvent blend ensures powerful cleaning action against stubborn contamination while remaining suitable for automotive finishes when used correctly. Suitable for cars, commercial vehicles, machinery and industrial equipment.

packaging	format	code
12 / 24	400 ML	1394



## BIKE FRAME CLEANER

**HIGH-PERFORMANCE CLEANER IDEAL FOR REMOVING MUD, OIL, AND DUST FROM BIKE FRAMES AND COMPONENTS.**

Safe on paints, seals, and delicate materials (aluminum, carbon, steel, plastic).

Biodegradable formula without aggressive solvents.

Apply, let it act for a few seconds, then remove dirt with a cloth or sponge.

packaging	format	code
6 FLACCONI	500 ML	1313



**SPECIALS**



## SCREEN PRINTING MESH OPENER

### SPECIFICALLY DEVELOPED FOR SCREEN PRINTING.

Instantly clears blocked mesh frames clogged with dried or encrusted inks, allowing printing to resume without disassembling the frame.

Does not damage fabric or leave visible residues.

Compatible with any type of fabric and ink.

#### packaging

12 / 24 PZ

#### format

500 ML

#### code

1345



## TEXTILE WATERPROOFING GUARD

### TEXTILE WATERPROOF GUARD IS A HIGH-PERFORMANCE WATER REPELLENT TREATMENT DESIGNED FOR TECHNICAL AND OUTDOOR FABRICS.

It restores and enhances water repellency by creating an invisible protective barrier that prevents water penetration while maintaining the natural breathability of the material. The advanced PFAS-Free formulation provides long-lasting protection against rain, moisture and environmental exposure without altering fabric flexibility, colour or texture.

#### packaging

12 / 24

#### format

400 ML

#### code

1219



## METAL PROTECTIVE

### EFFECTIVE PROTECTION AGAINST RUST, CORROSION, AND ENVIRONMENTAL DEGRADATION, IDEAL FOR EXPOSED METALS.

Forms a resistant barrier isolating moisture, salt, and atmospheric agents.

Suitable for tools, industrial machinery, automotive components, and outdoor structures.

Penetrates micro-cracks.

#### packaging

12 / 24 PZ

#### format

400 ML

#### code

1243



## DPF/FAP PARTICULATE FILTER CLEANER

**DISSOLVES AND REMOVES SOOT, PARTICULATE RESIDUES, AND ENCRUSTATIONS FROM PARTICULATE FILTERS WITHOUT DISASSEMBLY.**

Suitable for all diesel engines with DPF/FAP.

Easy and quick application thanks to the convenient nozzle, avoiding product dispersion.

packaging	format	code
12 / 24	500 ML	1343



## TURBOCLEAN CONCENTRATED LIQUID DETERGENT

**FOR MECHANICAL PARTS AND RADIATORS.**

Formulated with a synergistic combination of highly effective active ingredients to dissolve greases and ensure deep cleaning.

Suitable for immersion baths, agitation plants, and recirculation systems, adapting to various industrial operating contexts.

Maximum effectiveness at temperatures between 50°C and 60°C.

packaging	format	code
12 / 24 PZ	1000 ML	1348



## SPRAY DE-ICER

**REMOVES ICE FROM CAR WINDOWS.**

Quickly removes ice and frost, ensuring optimal visibility in moments.

Advanced formula leaves no streaks or residues

Ensures safe and effective cleaning on windshields, mirrors, and side windows.

packaging	format	code
12 / 24 PZ	400 ML	1325



## FRAME SHIELD ANTIFINGER

**FRAME SHIELD ANTIFINGER** is a professional dry-touch protective spray specifically developed for modern matt, satin and raw carbon bicycle finishes.

Unlike conventional silicone sprays or glossy polish products, the advanced formulation creates an invisible micro-film that repels fingerprints, skin oils, dust and moisture without altering the original matt appearance. The protective barrier reduces dirt adhesion and facilitates subsequent cleaning operations..

packaging	format	code
12 / 24 PZ	200 ML	1362



## LIGHT ZINC PLATING FORMULA

**EMULATES HOT ELECTROLYTIC GALVANIZATION, USED TO CORRECT IMPERFECTIONS ON GALVANIZED METALS.**

Prolonged resistance to rain, UV rays, salt mist, and weathering.

Thoroughly clean the surface before application.

After use, invert the can and spray gas to clean the valve and prepare it for the next use.

packaging	format	code
12 / 24	400 ML	1270

# THE FUTURE OF AEROSOLS

UNISPRAY is a dynamic company located in Cologna Veneta, Verona province, specialized in aerosol products and advanced chemical solutions.

## **Research and development: the heartbeat of innovation**

Our R&D department is the core of the company. We continually invest in market research and new products development to offer increasingly high-performance solutions.



## **IN-HOUSE PRODUCTION**

is a major strength of UNISPRAY, this allowing extreme flexibility, offering then customers the option to place smaller orders without the obligation to purchase large quantities.

**We can also customize the products** to meet the specific requirements of each customer, ensuring consistently high performance in all operations.

**UNI  
SPRAY**

## **HEADQUARTERS**

Viale Industria, 23 - Cologna Veneta Vr - IT  
t. +39 0442 1670017 - [info@unispray.it](mailto:info@unispray.it)

